



Product Service

(1) EC Type Examination Certificate

(2) Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres – **Directive 94/9/EC**

(3) EC Type Examination Certificate Number:

TPS 14 ATEX 29587 012 X



(4) Equipment: **Ex-Analysis and heating hoses WEX0, WEX1**

(5) Manufacturer: Winkler GmbH

(6) Address: Englerstr.24, 69126 Heidelberg

(7) This equipment and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

(8) TÜV SÜD Product Service GmbH, notified body No. 0123 in accordance with Article 9 of the Council Directive 94/9/EC of March 23rd 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II of the Directive.
The examination and test results are recorded in the confidential report 713045133.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 1127-1:2011 EN 60079-7:2007 EN 60079-30-1:2007

EN 60079-0/A11:2013 EN 60079-18:2009 EN 60079-31:2009

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

(11) This EC Type Examination Certificate relates only to the design and the construction of the specified equipment in accordance with Directive 94/9/EC. Further requirements of this Directive apply to the manufacture and supply of this equipment.

(12) The marking of the equipment shall include the following:

II 2G Ex e mb IIC T5...T6 Gb II 2D Ex mb tb IIIC T95°C Db

-40°C ≤ Ta ≤ 65°C

Certification body

Stuttgart, 14.11.2014

Andres Pfeil



Page 1 / 2

EC Type Examination Certificate without signature and official stamp shall not be valid. The certificates may be circulated only without alteration. Extracts or alterations are subject to approval by TÜV SÜD Product Service GmbH. In case of dispute, the German text shall prevail.

(Document no.: TPS 14 ATEX 29587 012 X)

The document is internally administrated under the following number: EX5 14 11 29587 012



- (13) **Schedule**
- (14) **EC Type Examination Certificate TPS 14 ATEX 29587 012 X**

(15) Description of equipment:

The Ex-Analysis and heating hoses are used to heat mediums. Self-limiting design.

Coding of model:

WEX0abbc-230ZEddd-EEEE-fft3

W = Winkler

EX = Ex model

0 = Series

a = Type

bb = Indication of the type of heater band (power)

c = Basic hose and fittings

230 = Operating voltage 230 V / 115 V

Z = Number of thermo couples (XX = no ; XE = one ; ZE = two)

E = EX-PT100 thermocouple

ddd = Nominal diameter of the basic hose

EEEE = Length of the heating hose in cm

ff = Sensor position basic hose

T3 = Code for temperature class T3

Electrical data:

Rated voltage: 230 V / 115 V ~; 50/60 Hz

Max. load heating cable: 10 W/m; 15 W/m; 25 W/m; 30 W/m

Ambient temperature: -40°C to +65°C

Maximum temperature: Refer to special conditions

- (16) Test report: 713045133
- (17) Special conditions for safe use:

Operator side, ensure that the permissible operating temperatures and pressures are not exceeded. The real maximum surface temperature of 90°C (Dust-Ex) / 95°C (T5/Gas-Ex) / 80°C (T6/Gas-Ex) must be complied with. The Ex-Analysis and heating hose must be cleaned cyclically in the Dust-Ex area. During operation dust layer has to be < 5 mm. The manufacturer's instructions according installation note and user manual must be followed.

- (18) Essential health and safety requirements:
met by standards

Certification body

Stuttgart, 14.11.2014

Andreas Pfeil

Page 2 / 2

EC Type Examination Certificate without signature and official stamp shall not be valid. The certificates may be circulated only without alteration. Extracts or alterations are subject to approval by TÜV SÜD Product Service GmbH. In case of dispute, the German text shall prevail.

(Document no.: TPS 14 ATEX 29587 012 X)

The document is internally administrated under the following number: EX5 14 11 29587 012